











## Why this Wood Stove?

- With its heavy duty construction and unbeatable fire view, the F2400 sets the standard for quality in the wood stove market.
- This EPA certified, non-catalytic stove has the design, heating capacity, quality and maintainability that makes it one of the industry's top selling and reliable stoves.
- The most comprehensive Lifetime Warranty in the industry!

Category	Feature	Benefit
<b>Components &amp; Construction</b>  The F2400 shown with brushed nickel accessories  Adjustable door latch system  Cool to touch door handle	<b>Heavy Duty Construction</b>	With the use of solid, high quality latches, 5/8" thick hinges, laser cut steel, and a cast molded door, this stove is built to last. With 227 lbs. of steel, 34 lbs. of bricks, 4 lbs. of airtubes, 6 lbs. of vermiculite baffles, the F2400 is the heaviest, most durable unit in the market today.
	<b>Heat resistant adjustable door latch</b>	The heat resistant door latch tightly secures the gasketed door into place. With money saving adjustability of the latch, there is no need to replace the door gasket as often and you are ensured a tight seal to the firebox.
	<b>Weight Resistant Door handle and knob</b>	The 20 lb. solid cast iron door, the 1/2" thick handle rod and the heavy duty cool-to-touch spring handle ensures the function and durability of this wood stove will withstand the test of time.
	<b>Seamless Airflow System</b>	The internal air channeling system is robotically welded providing a seamless construction; guaranteed. No leaks and excellent air flow make Regency one of the most efficient and clean-burning in the industry.
	<b>Internal Firebox Dimensions</b>	With the same width and depth inside the firebox, this stove offers front to back, and side to side loading of 18" logs.
<b>Heating Capacity</b>  Heat flow from the F2400   Blower and gasketed door shown above.	<b>2-speed silent blower</b>	The 2-speed insulated blower quickly distributes heat throughout the room.  The quietest blower in the fireplace industry.  The blower is fully controllable using either a manual or automatic on/off switch.
	<b>Up to 75,000 BTUs, EPA Certified</b>	Creates the ideal heat and ambience for a 1000 -2200 sq. ft. area. EPA certified with low emissions of 3.4g/hr, providing an environmentally friendly burn.
	<b>Simple draft control system</b>	One simple, easy to use draft control rod, located at the side of the stove allows safe and easy control of the burn rate and heat levels.
	<b>100% sealed firebox</b>	Our 7/8" gasketing gives a longer lasting seal.
<b>Perfectly aligned &amp; machine drilled door</b>	Machine drilled door hinge openings on the cast iron door assures flawless alignment of the door to the hinges, ultimately leading to a seamless firebox enclosure.	







## Why this Wood Stove?

- With its heavy duty construction and unbeatable fire view, the F2400 sets the standard for quality in the wood stove market.
- This EPA certified, non-catalytic stove has the design, heating capacity, quality and maintainability that makes it one of the industry's top selling and reliable stoves.
- The most comprehensive Lifetime Warranty in the industry!

Category	Feature	Benefit
<b>Installation Flexibility</b>  Venting and clearances	Closest Clearances in the industry	Built-in safety heat shields allow the stove be installed as close as 5-1/2" from the rear wall, ideal for tight spaces & alcoves. No costly wall protection needed.
	Mobile Home Approved	Approved for outside air intake, this stove can be installed in mobile homes with simple modifications.
	Standardized 6" Venting	This standard vent size assures economic and cost saving installations.
<b>Lifetime Quality and Warranty</b>  Quality construction, backed by a limited lifetime warranty. 	Quality Control Inspections	At each production assembly station the F2400 undergoes detailed, quality inspections to guarantee the functionality of the stove. This includes a firebox pressure test to ensure a 100% sealed firebox.
	Smooth Finish	The surface of the stove is grinded at the finishing stations, removing all rough edges ensuring a smooth finish.
	Sand Blasted Surface	This process removes all imperfections. It also allows the stove to have better paint adhesion and more resistance to daily wear and tear.
	Solid Welding	Precise engineering guarantees this stove is tightly sealed, decreasing air seepage and maximizing burn-time.
	Accuracy of Parts	All key components are cut using laser equipment, which gives accuracy within 0.003" (three thousandths of an inch). These tight tolerances reassure there is no unnecessary gaps or misalignments.
	High Quality Steel	Hand selected, top quality laser cut 5/16" steel is used guaranteeing durability and reliability in all Regency stoves.
	Limited Lifetime Warranty	With over 30 years of experience in manufacturing wood stoves along with the first and most comprehensive warranty in the industry.
<b>Maintenance</b>  Large ash pan.	Removable vermiculite baffles and airtubes	Lifetime warranted baffles and airtubes are durable and removable, making it easy to clean and service the stove.
	Large Ash drawer	Ashes simply fall into the drawer for emptying, no fussy clean-ups. An ash pan is available for both the pedestal and leg models.

## Why this Wood Stove?

- With its heavy duty construction and unbeatable fire view, the F2400 sets the standard for quality in the wood stove market.
- This EPA certified, non-catalytic stove has the design, heating capacity, quality and maintainability that makes it one of the industry's top selling and reliable stoves.
- The most comprehensive Lifetime Warranty in the industry!

Category	Feature	Benefit
<p>Features</p>  <p>Heat radiating ceramic glass.</p>  <p>Airflow diagram.</p>  <p>Air tubes inside the firebox.</p>	Air Wash System	One of the best airwash systems in the industry. This system keeps the glass clean, ensuring that you can see and experience the vibrant wood fire.
	Optional Ashlip	The slim line (optional) ashlip catches falling ashes when loading the wood stove. This safety feature prevents hot embers and ashes from touching the surface below.
	Radiant Side Heat Shields	These side panels provide a heat shield, which not only allows for closer clearances but maintains the temperature within the firebox to sustain a long burning fire.
	Ceramic Safety Glass	The ceramic glass allows for excellent heat transfer and has a lifetime warranty against thermal breakage.
	Thick Brick Liner	The brick lined firebox maintains the appropriate heat levels within the firebox, allowing for a complete and clean burn.
	Secondary Air tubes	The secondary tubes encourage re-burning of the stoves internal smoke & gases, resulting in a more complete and clean combustion.
<p>Standard and Optional Accessories</p>  <p>Pedestal or leg option</p>  <p>Color options</p>  <p>Door and screen option.</p>	Convertor Airmate	An optional airmate pushes heat forward and into the room. This drastically increases the amount of convection heat output in the room from the stove.
	Legs or Pedestal	Depending on aesthetic preferences choose between the pedestal base or legs. The legs come in gold, brushed nickel or black.
	Doors	The cast iron door comes in gold, black, gold accent or nickel accent.
	Screen door	Screen doors provide a smoke-free environment and protect rugs and flooring from sparks and flying embers when the door is open. Perfect for those who enjoy the sound and ambience of an open fire.